



American Tanks and Armored Vehicle List

M3A1 Stuart				
Location		Front	Side	Rear
10	Turret	4r	3	3
9	Turret	4r	3	3
8	Turret	4	3	3
7	Hull	4	3	<u>5</u>
6	Hull	4	3	3
5	Hull	<u>4</u>	3	3
4	Track	1.5	1.5^5	1.5
3	Hull	5	3	2
2	Hull	4r	3	2
1	Track	1.5	1.5	1.5
	Top	T 2	D 1.5	
37mmM6 (5)			size 0	
Speed: 200/300			R M	10/42

M5 Stuart				
Location		Front	Side	Rear
10	Turret	4r	3	3
9	Turret	4r	3	3
8	Turret	4r	3	3
7	Hull	<u>4</u>	3	<u>5</u>
6	Hull	<u>4</u>	3	3
5	Hull	<u>4</u>	3	3
4	Track	1.5	1.5^5	1.5
3	Hull	5	3	3
2	Hull	4r	3	3
1	Track	1.5	1.5	1.5
	Top	T 2	D 2	
37mm M6 (6)			size 0	
Speed: 220/330			RM	11/42

M5A1 Stuart				
Location		Front	Side	Rear
10	Turret	4r	3	3
9	Turret	5r	3	3
8	Turret	4r	3	3
7	Hull	<u>4</u>	3	<u>4</u>
6	Hull	<u>4</u>	3	3
5	Hull	<u>4</u>	3	3
4	Track	1.5	1.5^5	1.5
3	Hull	5	3	3
2	Hull	4r	3	3
1	Track	1.5	1.5	1.5
	Top	T 2	D 2	
37mm M6 (6)			size 0	
Speed: 220/330			R M	7/43

M24 Chaffee				
	Location	Front	Side	Rear
10	Turret	5r	3	3
9	Turret	5r	3	3
8	Turret	4	3	3
7	Turret	4	3	3
6	Hull	<u>5</u>	3	2
5	Hull	<u>5</u>	3	2
4	Track	2	2^5	2
3	Hull	<u>4</u>	3	2
2	Hull	<u>4</u>	3	2
1	Track	2	2	2
	Top	T 1.5	D 1.5	C 3r
	75mm M5 (9)		size 0	
	Speed: 215/320		RF	11/44

M3 Lee				
Location		Front	Side	Rear
10	Turret	<u>7</u>	5	5
9	Turret	5r	5r	5r
8	Turret	<u>7</u>	5	5
7	Hull	6	4	4
6	Spon	5r/6r	4	4
5	Hull	<u>6</u>	4	4
4	Track	2	2^6	2
3	Hull	<u>7</u>	4	4
2	Hull	5r	4	4
1	Track	2	2	2
	Top	T 3	D 2	C 4r
37M6(8)/75M2(8)			size 1	
Speed: 130/215			RM	7/41

M4 Sherman (early)				
Location	Front	Side	Rear	
10	Turret	8r	5	5
9	Turret	9	5	5
8	Turret	8r	5	5
7	Hull	6r	4	4
6	Hull	<u>9</u>	4	4
5	Hull	<u>9</u>	4	4
4	Track	2	2^6	2
3	Hull	6r	4	4
2	Hull	<u>8</u>	4	4
1	Track	2	2	2
	Top	T 3	D 2	
75mm M2 (9)		size 1		f+1
Speed: 130/215		RF	7/42	

M4A1 Sherman (early)				
Location	Front	Side	Rear	
10	Turret	8r	5	5
9	Turret	8	5	5
8	Turret	8r	5	5
7	Hull	6r	4	4
6	Hull	<u>9</u>	4	4
5	Hull	<u>9</u>	4	4
4	Track	2	2^6	2
3	Hull	6r	4	4
2	Hull	<u>8</u>	4	4
1	Track	2	2	2
	Top	T 3	D 2	
75mm M2 (9)		size 1		f+1
Speed: 130/215		RF	7/42	

M4 Sherman (mid)				
Location	Front	Side	Rear	
10	Turret	8r	5	5
9	Turret	8	5	5
8	Turret	8r	5	5
7	Hull	9	4	4
6	Hull	<u>9</u>	4	4
5	Hull	<u>9</u>	4	4
4	Track	2	2^6	2
3	Hull	6r	4	4
2	Hull	<u>9</u>	4	4
1	Track	2	2	2
	Top	T 3	D 3	
75mm M3 (9)		size 1		f+1
Speed: 130/215		RF	10/42	

M4A3 Sherman mid				
Location	Front	Side	Rear	
10	Turret	8r	5	5
9	Turret	9	5	5
8	Turret	8r	5	5
7	Hull	9	4	4
6	Hull	<u>9</u>	4	4
5	Hull	<u>9</u>	4	4
4	Track	2	2^6	2
3	Hull	6r	4	4
2	Hull	<u>9</u>	4	4
1	Track	2	2	2
	Top	T 3	D 3	
75mm M3 (9)		size 1		f+1
Speed: 160/265		RF	7/43	

M4A3 (75)W Sherman				
Location	Front	Side	Rear	
10	Turret	9r	5	5
9	Turret	9	5	5
8	Turret	8r	5	5
7	Hull	<u>9</u>	6/4	4
6	Hull	<u>9</u>	6/4	4
5	Hull	<u>9/10</u>	4	4
4	Track	2	2^6	2
3	Hull	10	4	4
2	Hull	<u>9</u>	4	4
1	Track	2	2	2
	Top	T 3	D 3	c 5r
75mm M3 (9)		size 1		
Speed: 160/265		RF	4/44	

M4A1 Sherman (76) W				
Location	Front	Side	Rear	
10	Turret	9r	6	6
9	Turret	9	6	6
8	Turret	8r	6	6
7	Hull	8	6/4	4
6	Hull	<u>9</u>	6/4	4
5	Hull	<u>9/10</u>	4	4
4	Track	3	3^7	3
3	Hull	10	4	4
2	Hull	<u>9</u>	4	4
1	Track	3	3	3
	Top	T 4	D 3	c 5r
76mm M1A1 (8)		size 1		
Speed: 130/215		RF	6/44	

M4A2 Sherman (76)W				
Location	Front	Side	Rear	
10	Turret	9r	6	6
9	Turret	9	6	6
8	Turret	8r	6	6
7	Hull	<u>9</u>	7/4	4
6	Hull	<u>9</u>	7/4	4
5	Hull	<u>9/10</u>	4	4
4	Track	3	3^7	3
3	Hull	10	4	4
2	Hull	<u>9</u>	4	4
1	Track	3	3	3
	Top	T 4	D 3	c 5r
76mm M1A1 (8)		size 1		
Speed: 160/265		RF	6/44	

M4A3 Sherman (76)W				
Location	Front	Side	Rear	
10	Turret	9r	6	6
9	Turret	9	6	6
8	Turret	9r	6	6
7	Hull	<u>9</u>	4	4
6	Hull	<u>9</u>	4	4
5	Hull	<u>9/10</u>	4	4
4	Track	3	3^7	3
3	Hull	10	4	4
2	Hull	<u>9</u>	4	4
1	Track	3	3	3
	Top	T 4	D 3	c 5r
76mm M1A1 (8)		size 1		
Speed: 160/270		RF	6/44	

M4A3E8 Sherman 'Easy 8'				
Location	Front	Side	Rear	
10	Turret	9r	6	6
9	Turret	9	6	6
8	Turret	9r	6	6
7	Hull	<u>9</u>	4	4
6	Hull	<u>9</u>	4	4
5	Hull	<u>9/10</u>	4	4
4	Track	3	3^6	3
3	Hull	10	4	4
2	Hull	<u>9</u>	4	4
1	Track	3	3	3
	Top	T 4	D 3	c 5r
76mm M1A2 (8)		size 1		
Speed: 170/270		RF	10/44	

M4 (105) Sherman				
Location	Front	Side	Rear	
10	Turret	9r	5	5
9	Turret	9	5	5
8	Turret	9r	5	5
7	Hull	<u>9</u>	4	4
6	Hull	<u>9</u>	4	4
5	Hull	<u>9/10</u>	4	4
4	Track	2	2^6	2
3	Hull	10	4	4
2	Hull	<u>9</u>	4	4
1	Track	2	2	2
	Top	T 4	D 3	c 5r
105mm M4 (6)		size 1		f+1
Speed: 130/215		RS	5/44	

M4A3 (105) HVSS Sherman				
Location	Front	Side	Rear	
10	Turret	9r	5	5
9	Turret	9	5	5
8	Turret	9r	5	5
7	Hull	<u>9</u>	4	4
6	Hull	<u>9</u>	4	4
5	Hull	<u>9/10</u>	4	4
4	Track	3	3^7	3
3	Hull	10	4	4
2	Hull	<u>9</u>	4	4
1	Track	3	3	3
	Top	T 4	D 3	c 5r
105mm M4 (6)		size 1		
Speed: 170/270		RS	10/44	

American Tanks and Armored Vehicle List

M4A3E2 Sherman 'Jumbo'				
Location	Front	Side	Rear	
10 Turret	15r	15	15	
9 Turret	9+9	15	15	
8 Turret	9+9	15	15	
7 Hull	<u>15</u>	8/4	4	
6 Hull	<u>15</u>	8/4	4	
5 Hull	<u>15</u>	8/4	4	
4 Track	3	3^7	3	
3 Hull	<u>15</u>	4	4	
2 Hull	13	4	4	
1 Track	3	3	3	
Top	T 4	D 3	c 5r	
75mm (9)		size 1		
Speed: 125/210		R F	9/44	

M26 Pershing				
Location	Front	Side	Rear	
10 Turret	13r	7	7	
9 Turret	11	7	7	
8 Turret	12	7	7	
7 Turret	10r	7	7	
6 Hull	11/14	8	5	
5 Hull	<u>14</u>	8	5	
4 Track	3	3^8	3	
3 Hull	<u>14</u>	5	<u>4</u>	
2 Hull	<u>13</u>	5	<u>4</u>	
1 Track	3	3	3	
Top	T 4	D 3	c 6r	
90mm M3 (7)		size 1		
Speed: 140/240		R F	3/45	

M10 GMC Wolverine				
Location	Front	Side	Rear	
10 Turret	8	3	3	
9 Turret	8	3	3	
8 Turret	6	3	3	
7 Hull	<u>7</u>	2	2	
6 Hull	<u>7</u>	2	2	
5 Hull	<u>7</u>	2	2	
4 Track	2	2^5	2	
3 Hull	5r	3	3	
2 Hull	<u>7</u>	3	3	
1 Track	2	2	2	
Top	T 0	D 1.5		
3-in M7 (8)		size 0		
Speed: 160/265		R S	3/43	

M18 GMC Hellcat				
Location	Front	Side	Rear	
10 Turret	3	1.5	1	
9 Turret	2r	1.5	1	
8 Turret	3	1.5	1	
7 Hull	<u>3</u>	2	2	
6 Hull	<u>3</u>	2	2	
5 Hull	3	2	2	
4 Track	1.5	1.5^4	1.5	
3 Hull	3	2	2	
2 Hull	3	2	2	
1 Track	1.5	1.5	1.5	
Top	T 0	D 1.5		
76 M1A1 (8)		size 0		
Speed: 250/450		R M	7/44	

M36 GMC Jackson				
Location	Front	Side	Rear	
10 Turret	7r	3	11	
9 Turret	7	3	4	
8 Turret	7	3	4	
7 Hull	<u>7</u>	2	2	
6 Hull	<u>7</u>	2	2	
5 Hull	<u>9</u>	2	2	
4 Track	2	2^5	2	
3 Hull	10	3	2	
2 Hull	<u>9</u>	3	2	
1 Track	2	2	2	
Top	T 0	D 1.5		
90mm M3 (7)		size 0		
Speed: 160/265		R F	10/44	

M36B1 GMC Jackson				
Location	Front	Side	Rear	
10 Turret	7r	3	11	
9 Turret	7	3	4	
8 Turret	7	3	4	
7 Hull	<u>9</u>	4	4	
6 Hull	<u>9</u>	4	4	
5 Hull	<u>9</u>	4	4	
4 Track	3	3^7	3	
3 Hull	10	4	4	
2 Hull	<u>9</u>	4	4	
1 Track	3	3	3	
Top	T 0	D 1.5		
90mm M3 (7)		size 0		
Speed: 160/265		R F	1/45	

M7 Priest (early)				
Location	Front	Side	Rear	
10 SuperS	1.5	1.5	1.5	
9 SuperS	1.5	1.5	1.5	
8 SuperS	1.5	1.5	1.5	
7 Hull	<u>2</u>	1.5	1.5	
6 Hull	<u>2</u>	1.5	1.5	
5 Hull	<u>9</u>	1.5	1.5	
4 Track	2	2^6	2	
3 Hull	5r	4	4	
2 Hull	<u>8</u>	4	4	
1 Track	2	2	2	
Top	T 0	D 2	C 1.5	
105mmM2 (6)		size 1		
Speed: 130/215			8/42	

M7B1 Priest				
Location	Front	Side	Rear	
10 SuperS	1.5	1.5	1.5	
9 SuperS	1.5	1.5	1.5	
8 SuperS	1.5	1.5	1.5	
7 Hull	<u>2</u>	1.5	1.5	
6 Hull	<u>2</u>	1.5	1.5	
5 Hull	<u>9</u>	1.5	1.5	
4 Track	2	2^4	2	
3 Hull	10	2	2	
2 Hull	<u>9</u>	2	2	
1 Track	2	2	2	
Top	T 0	D 2	C 1.5	
105mmM2 (6)		size 1		
Speed: 160/270			12/44	

M8 HMC				
Location	Front	Side	Rear	
10 Turret	5r	5	5	
9 Turret	5r	5	5	
8 Turret	5r	5	5	
7 Hull	<u>4</u>	3	<u>3</u>	
6 Hull	<u>3/4</u>	3	3	
5 Hull	<u>4</u>	3	3	
4 Track	1.5	1.5^5	1.5	
3 Hull	5	3	3	
2 Hull	4r	3	3	
1 Track	1.5	1.5	1.5	
Top	T 0	D 2		
75mm M3 how. (6)		size 0		
Speed: 220/330		R M	9/42	

M12 GMC				
Location	Front	Side	Rear	
10 SuperS	1.5	1.5	1.5	
9 SuperS	1.5	1.5	1.5	
8 SuperS	1.5	1.5	1.5	
7 Hull	<u>3</u>	1.5	1.5	
6 Hull	<u>3</u>	1.5	1.5	
5 Hull	<u>8</u>	1.5	1.5	
4 Track	2	2^4	2	
3 Hull	5r	2	2	
2 Hull	<u>8</u>	2	2	
1 Track	2	2	2	
Top	T 0	D 2	C 1.5	
155mmM1917(2)		size 1		
Speed: 130/215			7/44	

M8 Greyhound				
Location	Front	Side	Rear	
10 Turret	2	2	2	
9 Turret	2	2	2	
8 Turret	2	2	2	
7 Hull	<u>3</u>	1	1	
6 Hull	<u>3</u>	1	1	
5 Hull	<u>4</u>	1	1	
4 Hull	<u>4</u>	1	1	
3 Wheel	1	1^2	1	
2 Hull	2	1	1	
1 Hull	2	1	1	
Top	T 0	D 1		
37mmM6 (9)		size -1		
Speed: 120/535		R M	9/42	

M20 Scout Car				
Location	Front	Side	Rear	
10 Turret	2	2	2	
9 Turret	2	2	2	
8 Turret	2	2	2	
7 Hull	<u>3</u>	1	1	
6 Hull	<u>3</u>	1	1	
5 Hull	<u>4</u>	1	1	
4 Hull	<u>4</u>	1	1	
3 Wheel	1	1^2	1	
2 Hull	2	1	1	
1 Hull	2	1	1	
Top	T 0	D 1		
.50 cal MG (ac)		size -1		
Speed: 120/535		R M	3/43	

LTV				
Location	Front	Side	Rear	
10 Turret	1	1	0	
9 SuperS	1	1/.5	.5	
8 SuperS	1/4	1/.5	.5	
7 Track	1	1v1	1	
6 Hull	.5	.5s ⁸	.5	
5 Hull	.5	.5s ⁸	.5	
4 Hull	.5	.5s ⁸	.5	
3 Hull	1	.5s ⁸	.5	
2 Hull	1	.5s ⁸	.5	
1 Track	1	1	1	
Top	T 0	D 1		
.50 cal MG (ac)		size 1		
Speed: 120/240/60			7/42	

LTV (A) 1				
Location	Front	Side	Rear	
10 Turret	4r	1.5	1.5	
9 Turret	5r	1.5	1.5	
8 SuperS	1.5	1.5/.5	.5	
7 SuperS	1.5/5	1.5/.5	.5	
6 Track	1	1v1.5	1	
5 Hull	1	1s ¹⁰	.5	
4 Hull	1	1s ¹⁰	.5	
3 Hull	1	1s ¹⁰	.5	
2 Hull	1	1s ¹⁰	.5	
1 Track	1	1	1	
Top	T 1	D 1		
37mm M6 (9)		size 1		
Speed: 120/240/60			1/43	

LTV (A) 4				
Location		Front	Side	Rear
10	Turret	4r	3	3
9	Turret	4r	3	3
8	SuperS	1.5	1.5/.5	.5
7	SuperS	1.5/5	1.5/.5	.5
6	Track	1	1v1.5	1
5	Hull	1	1s ¹⁰	.5
4	Hull	1	1s ¹⁰	.5
3	Hull	1	1s ¹⁰	.5
2	Hull	1	1s ¹⁰	.5
1	Track	1	1	1
	Top	T 1	D 1	
75mmM3 how. (6)			size 1	
Speed:120/240/60				4/44

American Tanks and Armored Vehicle List

M2 Halftrack				
Location		Front	Side	Rear
10	SuperS	1.5	.5	.5
9	SuperS	1.5	.5	.5
8	SuperS	1.5	.5	.5
7	Hull	1	.5	.5
6	Hull	.5	.5	.5
5	Hull	.5	.5	.5
4	Hull	.5	.5	.5
3	Wheel	.5	.5	.5
2	Hull	.5	.5	.5
1	Track	.5	.5	.5
	Top	D .5	T 0	
.50 cal MG (ac)			size -1	
Speed: 150/430				12/41

M3 Halftrack				
Location		Front	Side	Rear
10	SuperS	1.5	.5	.5
9	SuperS	1.5	.5	.5
8	SuperS	1.5	.5	.5
7	Hull	1	.5	.5
6	Hull	.5	.5	.5
5	Hull	.5	.5	.5
4	Hull	.5	.5	.5
3	Wheel	.5	.5	.5
2	Hull	.5	.5	.5
1	Track	.5	.5	.5
	Top	D .5	T 0	
.50 cal MG (ac)			size -1	
Speed: 150/430				12/41

M3 MGC T12				
Location		Front	Side	Rear
10	Gun	.5	0	0
9	SuperS	1.5	.5	.5
8	SuperS	1.5	.5	.5
7	SuperS	1.5	.5	.5
6	Hull	.5	.5	.5
5	Hull	.5	.5	.5
4	Hull	.5	.5	.5
3	Wheel	.5	.5	.5
2	Hull	.5	.5	.5
1	Track	.5	.5	.5
	Top	D .5	T 0	
75mmM1897(5)			size 0	
Speed: 150/430				12/41

M3 MGC T19				
Location		Front	Side	Rear
10	Gun	.5	0	0
9	SuperS	1.5	.5	.5
8	SuperS	1.5	.5	.5
7	SuperS	1.5	.5	.5
6	Hull	.5	.5	.5
5	Hull	.5	.5	.5
4	Hull	.5	.5	.5
3	Wheel	.5	.5	.5
2	Hull	.5	.5	.5
1	Track	.5	.5	.5
	Top	D .5	T 0	
105mm M2 (5)			size 0	
Speed: 150/430				11/42

M3A1 Scoutcar				
Location		Front	Side	Rear
10	SuperS	1.5	.5	.5
9	SuperS	1.5	.5	.5
8	SuperS	1.5	.5	.5
7	SuperS	1.5	.5	.5
6	Hull	.5	.5	.5
5	Hull	.5	.5	.5
4	Hull	.5	.5	.5
3	Wheel	.5	.5	.5
2	Hull	.5	.5	.5
1	Track	.5	.5	.5
	Top	D .5	T 0	
.30cal MG (ac)			size -1	
Speed: 135/500				1/40

M4/M4A1 81mm Mortar Carrier				
Location		Front	Side	Rear
10	SuperS	1.5	.5	.5
9	SuperS	1.5	.5	.5
8	SuperS	1.5	.5	.5
7	SuperS	1.5	.5	.5
6	Hull	.5	.5	.5
5	Hull	.5	.5	.5
4	Hull	.5	.5	.5
3	Wheel	.5	.5	.5
2	Hull	.5	.5	.5
1	Track	.5	.5	.5
	Top	D .5	T 0	
81mm mortar			size -1	
Speed: 135/500				3/42

M26E4 Super Pershing				
Location		Front	Side	Rear
10	Turret	13r	7	7
9	Turret	18	7	7
8	Turret	18	7	7
7	Turret	16r	7	7
6	Hull	<u>22</u>	8	5
5	Hull	<u>22</u>	8	5
4	Track	3	3*8	3
3	Hull	<u>19/22</u>	5	<u>4</u>
2	Hull	<u>19</u>	5	<u>4</u>
1	Track	3	3	3
	Top	T 4	D 3	c 6r
90mm T26E1 (6)			size 1	
Speed: 125/225			R F	4/45

Jeep		
Locations	all	soft
		size -2
Speed: 135/500		1941

Truck		
Locations	all	soft
		size 0
Speed: 120/300		1941

WC57 Command car		
Locations	all	soft
		size -1
Speed: 135/500		1944

DUKW		
Locations	all	soft
		size 0
Speed: 120/480/60		1942

M29C Weasel		
Locations	all	soft
		size -2
Speed: 115/360/40		1943

Notes

Spon - Sponson on right front of M3. 75mm M2 gun arc for this is 15° R or L.

Dates roughly correspond to the first time vehicle is present on the battlefield in significant numbers.

Speeds cc/rr/ww = cross-country/road/water.

Vehicles swimming are considered hulldown 5 for sighting and protection.